

---

**Specifications of materials approved by SSC reference to indent No. 1870 dated 07/07/2010**

1) Macrocarriers

Pkg of 500 microparticles carrier disk, for use with PDS-1000/He system (Bio-Rad Cat. No. 165-2335 or equivalent).

2) Stopping Screens

Pkg of 500 stainless steel stopping screens, for use with the PDS-1000/He system (Bio-Rad Cat. No. 165-2336 or equivalent).

3) Gold Microcarriers

0.25 g, 0.6  $\mu\text{m}$  diameter, gold microcarriers for use with the PDS-1000/He and Helios gene gun systems (Bio-Rad Cat. No. 165-2262 or equivalent).

4) Rupture Disks

Pkg of 100 rupture disks, bursts at 1,100 psi in a partial vacuum, for use with the PDS-1000/He biolistic system (Bio-Rad Cat. No. 165-2329 or equivalent).

Dr. Aftab Bashir, P.S. (convener SSC): \_\_\_\_\_

Dr. Zahid Mukhtar, P.S. (member SSC): \_\_\_\_\_

Dr. Shaheen Asad, P.S. (member SSC): \_\_\_\_\_

Dr. Naseer A. Saeed, P.S. (member SSC): \_\_\_\_\_

Dr. M. Arif, P.S. (member SSC): \_\_\_\_\_